

Technical data sheet COLOR coprimacchia
Ver. 5.0 October 2023

COLOR Coprimacchia

Covering paint spray for construction

DESCRIPTION

Matt white opaque, overpaintable solvent-based acrylic paint for pre-treatment of walls and ceilings to be painted: general dirt, smoke, soot, grease, pencil or felt-tip pen marks are easily masked; after at least half an hour, the new paint can be applied.

FEATURES

- Very covering
- For all surfaces
- Forms an ideal undercoat for durable overpainting.

TECHNICAL DATA

| | |
|-----------------------------------------------------------------------------------|----------------|
| Appearance | Liquid (spray) |
| Colour | White |
| Specific gravity [g/cm ³] (NPT Method 06) (23°C and 50% RH) | 0.75 ÷ 0.80 |
| Flash point (propellant) [°C] | <0 |
| Can Pressure [bar] | 4.0 |
| Viscosity (mPa*s) (Brookfield 20 rpm/25°C) | 12 |
| Gloss | 6 ÷ 7 |
| Thickness 2 coats [Micron] | 15 |
| Thickness 4 coats [Micron] | 35 |
| Skin time [min.] (NPT Method 17) (23°C and 50% HR) | 10 |
| Dust free time [min.] (NPT Method 17) (23°C and 50% HR) | 20 |
| Complete drying (1) [8] | 24 |
| Application temperature [°C] | 5 ÷ 30 |
| Temperature resistance [°C] | 100-120 |
| Medium Yield (2) [m ² /400 ml] | 1.5 - 2 |

(1) Depending on thickness, surface type and environmental conditions

(2) Depending on thickness

APPLICATION

Shake well before use (at least 2 min.). Spray at a distance of approx. 25 cm, with light and crossed coats. If necessary, repeat after an interval of 5 minutes for greater coverage.

Overpaintable after approx. 30 minutes.

WARNINGS

Pressurized container. Protect from sunlight and do not expose to temperatures above 50°C. Not puncture or burn after use. Do not spray on a flame or incandescent body.

PACKAGING

400 ml cylinder 6 pieces per box

STORAGE AND SHELF LIFE

Can be stored for 18 months from the date of production, in unopened containers and in a dry and cool environment. Storage temperature between 5°C and 30°C. Keep away from sources of humidity, heat and from direct contact with sunlight.

GENERAL INFORMATION

The information contained in this data sheet represents the best of our knowledge. However, this document cannot be regarded as a guarantee that the product will be used and applied in accordance with the instructions provided. Successful application is beyond our control and depends on many factors. We accept no responsibility for the misuse of the product, the recommendations in this document should be considered general guidelines. If any doubts remain, please carry out preliminary tests. NPT Srl, reserves the right to modify and update the data sheet without prior notice. Customers are kindly requested to check that they have the latest version.

ALWAYS CONSULT THE SAFETY DATA SHEET BEFORE USING THE PRODUCT